^}µšZ Œv hš Z t š Œ > }Œ š}ŒÇ v oÇ•]• Z ‹µ •š &}Œul Z]v }(µ•š} Ç

}u‰ vÇW zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz]oo]vP Œ ••W zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz]šÇW

Œ ••W zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz ^š š W zzzzz •]‰W zzzzzzzzzzz }vš šW zzzzzzzzzzzzzzzzzzzzzzzzzzz

]šÇW zzzzzzzzzzzzzzzzzzzzzzzzzz ^š š W zzzzz •]‰W zzzzzzzzzzz u]oW zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz

WZ}v W~zzzz•rzzzzzzzzrzzzzzz & ÆW zzzzzzzzzzzzzzzzzzzzzzzzzz

}vš šW zzzzzzzzzzzzzzzzzzzzzzzzz

WŒ}i š / lt š Œ ^Ç•š u / W zzzzzzzzzzzzzzzzzzzzzzzzzzz

u]oW zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz z

☐]P •š]}v Z ‹µ]Œ

Lab ID#	Sample Location	Sample Date	Sample Time	Number of Containers	Drinking Water	Ground Water	Surface Water	Waste Water	Other (specify):	Total Nitrate/Nitrite	Nitrite	Nitrate	Sulfate	TDS/TSS/COD	Lead & Copper	Primary Inorganics	Secondary Inorganics										
	1 X			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	2 X			☐	☐	☐	☐	☐	☐															☐	☐	☐	☐
	3 X			☐	☐	☐	☐	☐	☐																		
	4 X			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐						
	5 X			☐	☐	☐	☐	☐	☐																		
	6 X			☐	☐	☐	☐	☐	☐																		
	7 X			☐	☐	☐	☐	☐	☐															☐	☐	☐	☐
	8 X			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	9 X			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	10 X			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		

Sampled by(print)	Sampled by(Signiture)	Receiving Temp. :	Receiving pH:
Special Instruction			
		Sample Delivered by Courier:	
Relinquished by(Signiture)	Received by (Signiture):	Date/Time	Comments
Relinquished by(Signiture)	Received by (Signiture):	Date/Time	Comments
Relinquished by(Signiture)	Received by (Signiture):	Date/Time	Comments